

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|---|---|------------------|---------|------------------|
| L16 | 301836 | (time near4 (deliver\$5 or transmit\$5 or send\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 06:40 |
| L17 | 131355 | data near3 (sequenc\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 06:40 |
| L18 | 1091 | 16 with 17 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 06:27 |
| L19 | 28 | 18 and "710"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 06:27 |
| L20 | 2463 | 16 same 17 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 06:28 |
| L21 | 92 | 20 and "710"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 06:29 |
| L22 | 89 | 21 and @ad<="20040112" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 06:29 |
| L23 | 340767 | (tim\$5 near4 (deliver\$5 or transmit\$5 or send\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 06:28 |
| L24 | 2880 | 23 same 17 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 06:29 |

EAST Search History

| | | | | | | |
|-----|--------|--|---|----|----|------------------|
| L25 | 2441 | 24 and @ad<="20040112" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 06:41 |
| L26 | 114 | 25 and "710"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 07:36 |
| L27 | 118978 | determin\$6 near3 (sequenc\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 06:48 |
| L28 | 23300 | determin\$6 near6 time near6 (deliver\$5 or transmit\$5 or send\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 06:41 |
| L29 | 232 | 27 with 28 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 06:41 |
| L30 | 196 | 29 and @ad<="20040112" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 06:42 |
| L31 | 57 | 29 with data | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 06:42 |
| L32 | 46 | 31 and @ad<="20040112" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 06:58 |
| L36 | 210 | dependant near3 (sequenc\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 06:48 |
| L37 | 13 | independant near3 (sequenc\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 06:48 |

EAST Search History

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| L38 | 39 | independant near6 (sequenc\$5 or order\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 06:48 |
| L39 | 761 | dependant near6 (sequenc\$5 or order\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 06:49 |
| L40 | 6 | 39 with mode | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 06:57 |
| L47 | 0 | mode with (speed\$5 or time) with sequenc\$5 with data | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 06:57 |
| L48 | 0 | mode with (speed\$5 or time) with sequenc\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 06:57 |
| L49 | 8412 | mode with (speed\$5 or time) with sequenc\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 06:58 |
| L50 | 1544 | mode with (speed\$5 or time) with sequenc\$5 with data | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 06:58 |
| L51 | 284 | 50 with (deliver\$5 or transmit\$5 or send\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 06:58 |
| L52 | 243 | 51 and @ad<="20040112" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 07:36 |
| L53 | 342 | 710/35.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 07:15 |

EAST Search History

| | | | | | | |
|-----|-------|---|---|----|----|------------------|
| L54 | 7 | L53 and ((combin\$5 or merg\$5or coale\$6) near4 (packet or frame)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 07:15 |
| L55 | 254 | (stor\$5 near5 time) same (by\$1pass\$5 near5 stor\$6) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 07:26 |
| L56 | 228 | 55 and @ad<="20040112" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 07:56 |
| L57 | 8 | 56 and "710"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 07:36 |
| L58 | 25701 | delay near3 path | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 07:56 |
| L59 | 32625 | direct near3 path | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 07:56 |
| L60 | 41 | 58 with 59 with data | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 07:56 |
| S1 | 2697 | optim\$7 with time near3 (deliv\$6 or transfer\$5 or send\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/07 09:19 |
| S2 | 2253 | optim\$7 with (sequenc\$5 or order\$5) near3 (deliv\$6 or transfer\$5 or send\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/07 09:16 |
| S3 | 147 | S1 and S2 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/03 15:09 |

EAST Search History

| | | | | | | |
|-----|-------|--|---|----|----|------------------|
| S4 | 98 | S1 same S2 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/03 15:09 |
| S5 | 35131 | optim\$7 with mode | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/03 15:51 |
| S7 | 286 | optim\$7 with data near3 (sequenc\$5 or order\$5) near3 (deliv\$6 or transfer\$5 or send\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/07 11:55 |
| S8 | 242 | S7 and @ad<="20040112" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/07 09:20 |
| S9 | 381 | optim\$7 with data near3 time near3 (deliv\$6 or transfer\$5 or send\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/07 11:55 |
| S10 | 333 | S9 and @ad<="20040112" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/07 11:56 |
| S11 | 28 | S8 and S10 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/07 09:20 |
| S12 | 655 | mode with data near3 (sequenc\$5 or order\$5) near3 (deliv\$6 or transfer\$5 or send\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/07 15:36 |
| S13 | 1429 | mode with data near3 time near3 (deliv\$6 or transfer\$5 or send\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/07 15:36 |
| S14 | 48 | S12 and S13 and @ad<="20040112" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/07 11:56 |

EAST Search History

| | | | | | | |
|-----|-------|--|---|----|----|------------------|
| S15 | 38665 | data near3 time near3 (deliv\$6 or transfer\$5 or send\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/07 15:36 |
| S16 | 21170 | data near3 (sequenc\$5 or order\$5) near3 (deliv\$6 or transfer\$5 or send\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 06:25 |
| S17 | 4140 | minimiz\$5 near3 latenc\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 07:25 |
| S18 | 20135 | by\$1pass\$5 with (stor\$7 or memory or buffer\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/07 15:37 |
| S19 | 108 | S15 and S16 and S17 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/07 15:38 |
| S20 | 238 | S15 and S16 and S18 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/07 15:40 |
| S21 | 14 | S19 and S18 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/07 15:38 |
| S22 | 34 | S15 same S17 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/07 15:40 |
| S23 | 24 | S16 same S18 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/07 15:40 |
| S24 | 342 | 710/35.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/12 19:26 |

EAST Search History

| | | | | | | |
|-----|--------|---|---|----|----|------------------|
| S26 | 34184 | ((determin\$5 or select\$5) near4 (mode or type)) with (deliver\$5 or transmit\$5 or send\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/12 19:51 |
| S27 | 16 | S24 and S26 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/12 19:28 |
| S28 | 100 | S26 same latency | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/12 19:52 |
| S29 | 263695 | bandwidth | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/12 19:52 |
| S30 | 458 | S26 same bandwidth | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/12 19:55 |
| S31 | 209 | S26 with bandwidth | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/12 20:15 |
| S32 | 43 | S26 with latency | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/12 20:15 |
| S33 | 21 | S28 same bandwidth | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/12 19:55 |
| S34 | 13033 | mode with bandwidth | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/12 21:32 |
| S35 | 3464 | mode with latency | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/12 20:15 |

EAST Search History

| | | | | | | |
|-----|--------|---|---|----|----|------------------|
| S36 | 184 | S34 same S35 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/12 20:16 |
| S37 | 143 | S34 with S35 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/12 20:20 |
| S38 | 114 | S37 and @ad<="20040112" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/12 21:19 |
| S39 | 563844 | (order\$5 or reorder\$5 or sequenc\$5) with data | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/12 21:18 |
| S40 | 299807 | (order\$5 or reorder\$5 or sequenc\$5) near3 data | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/12 21:20 |
| S41 | 586 | S40 with before near4 (deliver\$5 or transmit\$5 or send\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/12 21:20 |
| S42 | 493 | S41 and @ad<="20040112" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/12 21:21 |
| S43 | 1 | S41 with minim\$5 near4 time | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/12 21:21 |
| S44 | 131355 | (sequenc\$5) near3 data | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/12 21:20 |
| S45 | 279 | S44 with (before near4 (deliver\$5 or transmit\$5 or send\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 06:24 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S46 | 246 | S45 and @ad<="20040112" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 06:27 |
| S47 | 2 | S41 same (minim\$5 near4 time) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/12 21:21 |
| S48 | 1 | S45 same (minim\$5 near4 time) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/12 21:21 |
| S49 | 676 | S40 same ((combin\$5 or merg\$5or coale\$6) near4 (packet or frame)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/12 21:22 |
| S50 | 103 | channel near3 optimiz\$6 with mode | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/12 21:30 |
| S51 | 23 | S50.ti,ab. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/12 21:30 |
| S52 | 83 | S50 and @ad<="20040112" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/12 21:31 |
| S53 | 3 | S50 and latency with bandwidth | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/12 21:33 |
| S54 | 0 | S50 same latency with bandwidth | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/12 21:32 |
| S55 | 5 | S50 and latency and bandwidth | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/12 21:33 |

EAST Search History

| | | | | | | |
|-----|---|---------------------------------|---|----|----|------------------|
| S56 | 0 | S50 same latency same bandwidth | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/12 21:33 |
|-----|---|---------------------------------|---|----|----|------------------|